XEROX[®] VERSALINK[®] PRINTERS AND MULTIFUNCTION PRINTERS

Evaluator Guide







Table of Contents

This Evaluator Guide introduces you to the Xerox[®] VersaLink[®] Printers and Multifunction Printers and explains their key features and performance advantages.

INTRODUCING XEROX® CONNECTKEY® TECHNOLOGY

3 Overview

INTRODUCING OUR VERSALINK FAMILY OF PRODUCTS

4 Overview

EVALUATING WORKGROUP PRINTERS AND MULTIFUNCTION PRINTERS

- 5 Count On It
- 10 Well Connected
- 12 Make It Yours
- 13 Introducing Xerox® VersaLink Printers and Multifunction Printers

SPECIFICATIONS, CONFIGURATION SUMMARIES AND OPTIONS

AWARDS

23 Xerox[®] ConnectKey Awards

- 14 Xerox® VersaLink® B400 Printer and B405 Multifunction Printer
- 15 Xerox® VersaLink® C400 Color Printer and C405 Color Multifunction Printer
- 16 Xerox® VersaLink® C500 Color Printer and C505 Color Multifunction Printer
- 17 Xerox® VersaLink® B600 Printer and B605 Multifunction Printer
- 18 Xerox® VersaLink® B610 Printer and B615 Multifunction Printer
- 19 Xerox® VersaLink® C600 Color Printer and C605 Color Multifunction Printer
- 20 Xerox® VersaLink® B7025/ B7030/B7035 Multifunction Printer
- 21 Xerox® VersaLink® C7000 Color Printer
- 22 Xerox® VersaLink® C7020/ C7025/C7030 Color Multifunction Printer

Xerox[®] Connectkey[®] Technology—the nexus of your complete productivity ecosystem

Today's workplace has evolved beyond the ability of any single machine to fulfill productivity needs of the modern, mobile, always connected workforce. It's time to stop thinking about printers as stand-alone, task-specific workhorses, and start demanding more up-to-date, useful—and useable—solutions.



INTUITIVE USER EXPERIENCE

An entirely new—and yet entirely familiar way to interact that includes a tablet-like experience with gesture-based touchscreen controls and easy customization.

MOBILE AND CLOUD READY

Instant connectivity to cloud and mobile devices right from the user interface, with access to pre-loaded, cloud-hosted services that let you work where, when and how you want.

BENCHMARK SECURITY

Comprehensive multi-level protection for intrusion, device, ready to guard against and eliminate emerging threats and meet or exceed regulatory compliance.

ENABLES NEXT GENERATION SERVICES

Work more efficiently and manage resources more effectively. Easy integration of Xerox[®] Managed Print Services enables remote monitoring of service delivery and consumables, plus remote configuration for even more time savings.

GATEWAY TO NEW POSSIBILITIES

Instantly extend your capabilities with access to the Xerox App Gallery, featuring real-world apps designed to optimize digital workflows. Commission our network of partners to design innovative, business-specific solutions.

Find out more about how you'll work smarter at **www.connectkey.com**.

Xerox[®] VersaLink[®] Family of Products

The Perfect Assistant for Every Office

The VersaLink family of products offers a truly compelling value with an affordable total cost of ownership. The innovative functionality built into each product extends its value beyond the printer and multifunction printer (MFP), and maximizes your investment by enabling greater freedom to get work done on your terms.



COUNT ON IT

VersaLink devices consistently and flawlessly deliver the performance and reliability that even the most demanding offices rely on to get their work done more efficiently.

VersaLink devices offer complete dependability through both reliability and benchmark security.

- Highly dependable—hardware and software reliability
- Hassle-free productivity
- Solid data security to safeguard customers' data, delivering the security capabilities that every type of business demands today.
- Inspire confidence—it just works every time
- Simplified device installation and management, without the need for IT support



WELL CONNECTED

Connect to what you want, how you want. Wherever your work takes you, Xerox gives you the freedom and convenience to work when you want, where you want, with the devices you use every day.

In line with the shift toward mobile device reliance, VersaLink devices meet the expectation of the most advanced office technologies.

- Enable mobile workers to leverage the capabilities of printers and MFPs in the manner that works best for them (secure mobile connectivity)
- Extend traditional MFP functionality to mobile platforms with the Xerox® Mobile Link App
- Connect users to the services they use today, such as cloud repositories and popular third-party apps (speed up information sharing and streamline multistep workflows)



MAKE IT YOURS

VersaLink devices provide a balance of simplicity and efficiency, presented in a familiar and comfortable interface that makes accomplishing tasks intuitive. It means less time learning and more time doing.

VersaLink product design intent is heavily influenced by ongoing changes in workforce behavior.

- Highly intuitive user experience strikes a balance between simplicity and efficiency with the ability to personalize and customize for each user
- Range of useful built-in apps with the ability to add more (build your own)
- Blending the expected performance of today's devices with the unique needs of using a printer or MFP

Reliable, productive and easy to use. With Xerox[®] VersaLink[®] printers and multifunction printers, you'll consistently and flawlessly perform the tasks that make your business work more efficiently.

RELIABLE

With a range of features and functionality you'll use every day, VersaLink devices take reliability and workplace efficiency to a new level of ease and automation right out of the box.

- Xerox® Standard Accounting. Manage, track and report device usage to control print quantities and chargeback options for print, scan, copy and fax. Advanced solutions are available for Network Accounting from Xerox Business Innovation Partners, delivering even more helpful tools, such as ID and proximity card systems for larger office environments.
- **Duplex printing.** With automatic two-sided printing (standard on DN configurations), multi-page print jobs are automatically printed on the front and back side of each sheet of paper for increased efficiency and reduced paper usage.
- Single-Pass Duplex Automatic Document Feeder. With many of our VersaLink multifunction printers, you can get even more reliability and longevity with fewer moving parts on our Single-Pass Duplex Automatic Document Feeder (DADF).
- Auto-Color Scanning (ACS). This feature allows the device controller to check if the document is color or black-and-white, and then adjust accordingly.

- Genuine Xerox® supplies. Using genuine Xerox® toner in your VersaLink printer or multifunction printer will ensure that prints are delivered with consistent quality and keep your device running at optimal level and free from damage by inferior thirdparty supplies. Testing conducted by independent printer evaluation laboratories proved genuine Xerox® supplies are more reliable and deliver up to 27% higher page yields than aftermarket alternatives. When non-Xerox® supplies are detected by the device, a warning screen will appear informing the customer that genuine Xerox® supplies were not detected.
- Automated supplies notification and ordering. Customers enrolling or participating in one of the excellent metered or managed print service programs get the added benefit of Automated Supplies Replenishment (ASR). With ASR, our VersaLink devices can automatically talk to our ordering systems, giving you a Xerox virtual administrator that continuously watches over your fleet so you don't have to—at no extra cost. No need to react when the device tells you that toner is running low. The ASR service will instantly put in an order for the supplies, without human intervention.
- Front of device access. Customer replaceable toner cartridges are especially easy to replace on VersaLink devices. No need to rotate or move the device when performing routine maintenance tasks.

- Remote Service Functionality. Users can perform troubleshooting and diagnostics right from their computer, eliminating multiple trips to the printer or multifunction printer. Troubleshooting hints and tips are also provided to the user, right at the device UI, keeping the device up and running without additional trips.
- Remote Services Upgrade. Using this feature, administrators can perform firmware upgrades to VersaLink printers and multifunction printers from a central location, rather than traveling to the actual site of the device.
- ENERGY STAR[®] qualified. VersaLink printers and multifunction printers meet the stringent ENERGY STAR requirements for energy use and the EPEAT[®] comprehensive environmental rating system.
- Certifications and sustainability. At Xerox, we work to ensure that our devices meet or exceed standards so that Xerox[®] devices are engineered in an environmentally smart and sustainable way. Learn more by visiting www.xerox.com/environment.
- Energy management. With Cisco EnergyWise[®], enabled by Xerox[®] Power MIB (Management Information Base), you can control, manage and report your device's power consumption information, and set optimal power states and timeout intervals.

(CONTINUED)

PRODUCTIVE

Revolutionize your workflow—and get more done—with time-saving productivity enhancers and new capabilities that work without additional IT investment.

- Print Around. Print Around is an automatically enabled feature that eliminates print bottlenecks and directs print job flow. If a job needs resources, (such as mismatched media type, color or size), other print jobs will go around the held job. This keeps jobs moving when there is an issue with one print job.
- Consistent operation across products. A common look and feel across all VersaLink devices makes it easy and intuitive for users to go from one Xerox[®] product to another without additional training.
- LAN Fax. Use this feature to send faxes directly from your PC without printing the document or going to your Xerox[®] multifunction printer. Through the driver for the multifunction printer, you can send a document via fax to other fax machines. This feature requires the installation of Walk-up Fax.
- Fax Forward to Email. When sending and/ or receiving faxes, this feature allows a copy of the fax to be forwarded to an email address; enabling archiving as well as saving paper retrieval and distribution time.
- Print from and Scan to USB. Conveniently print your document directly from your USB device or scan your document directly to it, right from the main screen of the user interface.

- Digitize your current paper-based workflows. VersaLink multifunction printers can scan documents to create textsearchable PDFs and single and multi-page PDFs for easy archiving, organizing and searching. This is made possible with built-in optical character recognition (OCR), a critical component in digitizing any paper-based workflow.
- True multi-tasking. With this feature, VersaLink multifunction printers can copy, print, fax and scan at the same time. There is no wasted time for walkup users at the device and all jobs are held in the same queue.
- Scan and Fax Preview. With VersaLink multifunction printers, users can ensure accuracy by previewing the scanned file before sending it. This feature also allows users to rotate pages, as well as add additional pages to the scan or fax prior to sending.
- Common Driver Platform. VersaLink printers and multifunction printers include common print drivers, which feature clear graphical user interfaces that provide for easy, intuitive interaction with the device. The drivers provide immediate desktop access to all Xerox[®] device output functions, as well as bidirectional information, indicating device and job status, currently loaded paper sizes and types, and installed options, eliminating the need to consult other software for information. Easy-tounderstand icons access the most commonly used functions, such as paper selection and document finishing. With the Saved Settings feature, frequently used print job parameters can be stored for reuse.

- Xerox® Global Print Driver®. This truly universal print driver lets IT administrators install, upgrade and manage Xerox® and non-Xerox® devices from a single driver. It provides a consistent, easy-to-use interface for end-users, reducing the number of support calls and simplifying print services management.
- Concurrent wired and wireless support. VersaLink devices support both an Ethernet connection and a Wi-Fi® connection (via an optional wireless network adapter) at the same time. VersaLink printers and MFPs can then be discovered via Apple® AirPrint® or Mopria® Print Service, even when connected to the wired network. This also allows you to make the printer or MFP available to guest users via Wi-Fi Direct®, even when your guests are not connected to your wireless network.
- Scan to App. This feature provides access to all scan destinations and features in one, easy-to-find location at the touchscreen UI.
- Xerox[®] ConnectKey[®] for DocuShare[®]. Scan files directly into Xerox[®] DocuShare[®] folders from your VersaLink multifunction printer. This workflow solution automatically converts documents into intelligent, structured data with easy file naming and routing tools.
- Earth-smart printing. Our innovative Earth Smart feature in our print drivers allows you to reduce costs while choosing the most environmentally sensitive options for your print jobs.

(CONTINUED)

INSTALLATION

With Xerox[®] VersaLink[®] devices, you're ready to go—hassle free—right out of the box, even in environments with little-to-no IT support.

- Initial Install Wizard. Installation is easy with the initial install wizard that provides step-by-step instructions and configuration options right from the user interface. This wizard guides users through settings from basic to advanced settings.
- Customer Replaceable Units. We engineered our VersaLink printers and multifunction printers with a simplified design so you can stay up and running. Easily and quickly replace components, such as the imaging drum or toner cartridge.
- Driver deployment. Print and scan drivers can be deployed centrally, eliminating the need for IT staff to perform desk-to-desk manual installation of the driver software. In many cases, existing Xerox® drivers on your network can work with your new hardware, potentially saving the step of updating your driver software. Wizards provided within Xerox® CentreWare® Web aid in installing, troubleshooting and upgrading your driver software, freeing up your IT staff for more pressing projects. The Xerox[®] Global Print Driver[®] supports Xerox[®] and non-Xerox[®] devices on the network. eliminating the need for other print drivers and saving hours of downtime.

• Configure once, apply fleet wide.

VersaLink device configurations can be cloned and distributed to all similar devices on your network, eliminating the need to configure and manage each device individually. Cloning can be completed using several different methods. Users can utilize the Embedded Web Server or there are a variety of managed print services tools for customers enrolled in a managed service program.

- Embedded Web Server. Allows networked users to connect to their printer or multifunction printer via any standard web browser to install print drivers, monitor printer status, view the print job queue, manage settings and properties, and access troubleshooting and support resources.
- LDAP Mapping. LDAP servers display different results depending on how they implement mappings. You can complete simple email address searches with LDAP and Scan to Email jobs. Our full integration is the differentiator. Our LDAP Mapping integrates with the address book, User Permissions and Scan to Home. In addition, this feature automatically suggests contacts by searching the device address book and LDAP as characters are entered.
- Xerox[®] CentreWare Web Software. This free, device management solution for IT makes it easy to install, configure, manage, monitor and pull reports from networked and multifunction printers throughout an enterprise, regardless of the manufacturer.
- A help desk at your fingertips. Get quick, easy, step-by-step troubleshooting assistance with embedded help videos right on the user interface.
- Xerox® Remote Print Services with install wizard. Customers enrolling or participating in one of our metered or managed print service programs get the added benefit of Automated Supplies Replenishment (ASR). Save time with our suite of remote services, and let us manage your devices for you. This includes:
 - Xerox[®] MeterAssistant[®] Service.
 Automates the process of collecting and submitting meter reads for tracking and billing of Xerox[®] device usage. Eliminates the need for time-consuming end-user involvement and ensures that meter reads are submitted to Xerox on time.
 - Xerox[®] SuppliesAssistant[®] Service.
 Automatically orders supplies for Xerox[®] output devices based on actual usage, eliminating the need to manually manage supplies inventory.

• On-demand reset to factory defaults. To ensure the security of your data, VersaLink devices can be fully reset back to a factory state.

INTRODUCING TOUCHSCREEN SUPERIORITY

Meet our tiltable, capacitive color touchscreen—the user interface that sets a higher standard for customization, personalization and versatility.

By presenting a familiar "mobile" experience—with support for gestural input and task-focused apps that share a common look and feel—fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and center. Don't like where a function or app is located? Customize the layout to make it yours.

This unmatched balance of hardware technology and software capability helps everyone who interacts with our VersaLink printers and multifunction printers get more work done, faster.



View a demo of our VersaLink device touchscreen at www.xerox.com/ VersaLinkUIDemo.

(CONTINUED)

SECURITY: A HOLISTIC PROTECTION FOR YOUR PRINTER OR MULTIFUNCTION PRINTER.

Xerox has long ago recognized and embraced this shift in technology and the evolving needs of the workplace. We offer a comprehensive set of security features to keep your printers and your data safe. Xerox secures every part of the data chain, including print, copy, scan, fax, file downloads and system software. There are four key aspects to our multilayered approach.

Intrusion Prevention

ConnectKey Technology utilizes a comprehensive set of capabilities that prevents malicious attacks, the proliferation of malware, and misuse of/unauthorized access to the printer, whether from transmitted data or direct interaction at the device.

All possible access points are secure, including the user interface and input ports accessible to walkup users as well as PC, server, mobile devices or cloud connections.

Device Detection

Xerox[®] ConnectKey[®] Technology runs a comprehensive Firmware Verification test, either at start-up or when activated by authorized users. This provides alerts if any harmful changes to the printer have been detected.

Document and Data Protection

Our comprehensive security measures don't stop with preventing unauthorized access to your printer and securing your information from the inside. ConnectKey Technology provides capabilities to prevent intentional or unintentional transmission of critical data to unauthorized parties.

From protecting printed materials by not releasing documents until the right user is at the device, to preventing scanned information reaching beyond its intended recipient, ConnectKey Technology offers the safeguards you need to keep your most critical data assets safe and secure.

Xerox also protects all your stored information, using the highest levels of encryption. You can delete any processed or stored data that is no longer required using National Institute of Standards and Technology (NIST), and U.S. Department of Defense approved data clearing and sanitization algorithms^{*}.

External Partnerships

ConnectKey Technology provides extra security standards. We measure our performance against international standards with certifications like Common Criteria and FIPS 140-2 to ensure our devices are trusted in even the most secure environments.

* Applies to devices with hard disk drives only



Intrusion Prevention



Device Detection



Document & Data Protection



External Partnerships

(CONTINUED)

VERSALINK SECURITY FEATURES

Xerox® VersaLink® devices include the following features, technologies and solutions to ensure your data and network is kept secure.

- Secure Print with print queue deletion. With this feature, users are required to enter a passcode at the device to release a job or can delete jobs from their queue. That means fewer documents are unnecessarily printed and left at the device.
- Hard Disk and SSD encryption. This feature effectively safeguards your data from unauthorized access while it's being processed, transmitted or stored in the printer or multifunction printer.
- Protect your information. With Immediate Image Overwrite, the VersaLink C400 Color Printer and VersaLink C405 Color Multifunction Printer can automatically erase image data from the device after each job.
- Secure Email with TLS 1.2. Securely scan and send email to third-party mail service providers with Transport Layer Security (TLS). With this security feature, your VersaLink multifunction printer will keep emails safe and free from unauthorized access.

- Stay compliant with regulations. Our VersaLink devices comply with the latest security standards, including the Federal Information Processing Standard (FIPS) 140-2, Department of Defense (DoD) Security standards and undergo the full-system Common Criteria (undergoing evaluation) certification process. Controls are available to match your security needs and conform to any standards across industries, government, finance and healthcare.
- Password Protected PDF. Users have the option to encrypt PDF files with a password when using the Scan to Email service on VersaLink multifunction printers. This technology provides protection outside of your firewall, securing data in an unsecure environment using industry-standard protocols such as Secure PDF.
- **Role-based permissions.** Assign different levels of access to users in environments where Administrator-level security isn't necessary.
- Prevent attacks. VersaLink devices give administrators the ability to set lockout limits for users logging in. For example, if the administrator sets a limit of three attempts and all three fail, that user will be locked out for a set period of time. This prevents automated dictionary-style attacks to gain access.
- Audit Logs. Track access and activity by document, user and function on VersaLink printers and multifunction printers. The Audit Log is disabled by default; it can be enabled and disabled in the Embedded Web Server.

- Common Access Card Support (CAC/PIV). This ensures secure printing using Common Access Card (CAC)/Personal Identity Verification (PIV) card technologies and attaches the print-job sender's identity certificate to the print job. At the device, the user must authenticate with the user's CAC/PIV card before releasing the job.
- USB card-based authentication. VersaLink devices can be upgraded with optional solutions to deliver even greater cost control capabilities. They support many USB card-based authentication technologies that enable users to log into the device using a proximity card, student ID or security card, providing a secure method of authentication, tracking usage and billing.
- Authentication, authorization and accounting (AAA). VersaLink devices support a robust set of features that help you control access, enforce policies, monitor usage and obtain information so you can bill for services.
- **Print User ID in the print margin.** With this feature, user information is printed in the margin of the first page to quickly help users identify which pages are theirs, as well as eliminating costly and wasteful banner pages.
- Xerox[®] Print Management and Mobility Suite, Xerox[®] Print Management and Mobility Service. This is a modular set of workflows designed to save customers time and money by providing effective control over their print fleet, while enabling worker productivity and mobility through a set of robust workflows. Xerox enables ultimate customer flexibility by offering these capabilities in both an on-premises server version and with a cloud based-version of this solution.

Well Connected

Mobile-ready and cloud-connected. The office of the future is here today. Xerox[®] VersaLink[®] printers and multifunction printers enable the advanced connectivity mobile workforces need to collaborate, share and process the documents and information that keep your business running.

MOBILITY

VersaLink devices provide unprecedented mobile access from any device, with multiple connectivity options and no complicated setup.

Standard Mobility Solutions

- Apple[®] AirPrint[®]. With AirPrint, you can print emails, photos and important office documents directly from your favorite Apple devices, including iPhone®, iPad® and your Mac®. Additionally, Mac users can scan via AirPrint. With AirPrint, your iPhone, iPad or Mac automatically locates and connects to the AirPrint-enabled device over your Wi-Fi® and/or Ethernet network. For enhanced security and controllable printing, Apple AirPrint offers accounting support as well as IPP attributes, which enables more complicated finishing options and print settings, such as two-sided printing, page range, quantity and color or black-andwhite.
- Mopria® Print Service. This allows Android[™] device users to easily and wirelessly discover and print to Mopriacertified Xerox® and non-Xerox® printers or multifunction printers without installing drivers or downloading additional apps or software. As a founding member of the Mopria Alliance, Xerox continues to shape innovation in the mobile printing arena and ensures that both our current and future technologies are keeping up with the ever-evolving mobile landscape.
- Wi-Fi Network Adapter (Wi-Fi Kit). With this optional hardware, you can easily set up and place your VersaLink printer or multifunction printer anywhere you need it without costly additional network reconfiguration and wiring.

- Xerox® Mobile Link App. This free app allows you to scan, email and fax from your Android or iOS-based mobile device to VersaLink multifunction printers and send data to and print data from cloud storage. Downloaded from the Google Play™ Store or Apple App Store, Mobile Link resides on your mobile device. Once installed, easily create Mobile Link one-touch workflows between a mobile device and a VersaLink Multifunction printer. Use a manual address or allow automatic device discovery to find and pair your mobile device with a nearby Xerox® multifunction printer.
- Xerox® Mobile Express Driver®. This feature makes it easy for mobile users to find, use and manage Xerox® and non-Xerox® devices in every new location. Plug into a new network, and Xerox® Mobile Express Driver automatically discovers available printers and provides status and capability information. Save a list of "favorite" printers for each location, store application print settings for use on any printer in any network and greatly reduce mobile support calls to IT.
- NFC Tap-to-Pair. With Near Field Communications (NFC) Tap-to-Pair, users can simply tap their Android device to a VersaLink printer or multifunction printer to establish a direct connection. Once established, printing is handled using a wireless connection if the optional wireless network adapter has been installed. If the wireless network adapter is not installed, printing is handled via the Ethernet network. This feature allows for greater security and results in less waste as users are in direct proximity to the device. ¹



- Wi-Fi Direct[®]. This ensures that you can print to VersaLink printers and multifunction printers from your mobile device without having to connect to a network. Adding the optional wireless network adapter enables this connection and allows for both an Ethernet connection and Wi-Fi Direct connection to be enabled at the same time.
- Xerox® Print Service Plug-in for Android™. This unique, full-featured plug-in for KitKat (4.4 or greater) devices streamlines mobile printing without third-party apps or additional print drivers. After downloading this free plug-in from the Google Play™ Store, you can easily print photos, Web pages and documents when your mobile device is connected to VersaLink multifunction printers using a wireless network. Robust printing options include color or black-and-white printing, number of copies, paper orientation, two-sided printing, stapling, Secure Print/ Secure Code Release and more.
- **TWAIN scanning push and pull.** This feature further simplifies network TWAIN scanning by allowing users to pull the scan back to their PC without the need for a password.
- ¹ If the Wireless network Adapter is not present, print jobs submitted from an Android device will route via Ethernet only if the customer has configured their network appropriately.

Well Connected

(CONTINUED)

Advanced Mobility Solutions

- Xerox® Mobile Print. We offer many options that enable secure, accurate printing from most mobile devices to any printer or multifunction printer, regardless of brand, making it easy to print Microsoft® PowerPoint®, Word and other standard files from wireless and mobile devices. Our IT-friendly optional capabilities include PIN code access and multiple mobile operating systems. Whether off site or on site, learn why we are the only choice for today's mobile professionals by visiting www.xerox.com/mobile.
 - Choose Xerox[®] Mobile Print Solution with an on-site server for your internal network, or behind your network's firewall for added control and higher volume use.
 - Choose Xerox[®] Mobile Print Cloud to easily manage local and remote locations, and control visitors' printing access. Mobile Printing through the

cloud is offered as a free service or a more advanced for-fee solution. The Basic version offers a ConnectKey® App resident on the user panel and enables a simple email to the cloud to pull print jobs to the multifunction printer. The Enhanced version offers the app with a Mobile Print Cloud license, providing convenient authentication that locks and unlocks a device, via a mobile app, without authentication cards.




Visit **www.xerox.com/MobileDemo** to view a demo of the Xerox[®] Mobile Print Solution.

CLOUD

Reach new heights of mobile productivity with cloud-ready apps that keep your workforce connected from any location.

- Support for Google Cloud Print™ 2.0. Xerox® VersaLink printers and multifunction printers are enabled with secure cloud printing, an ideal solution for workers on the go. Securely and directly connect and register with the Google Cloud Print service and your smartphone, tablet, laptop or traditional desktop device will always be available wherever you are. No need to install and maintain print drivers or additional software.
- Cloud connections. VersaLink multifunction printers come standard with embedded apps, such as DropBox[™], Microsoft[®] OneDrive[®] and Google Drive[™] online storage service so users can easily print from and scan to the locations they use every day.



For more information, go to www.xerox.com/MobileLink.

Apple[®] AirPrint[®] and Xerox[®] Print Service Plug-in for Android[™] are standard/free-of-charge protocols for Apple iOS, Android and Xerox[®] ConnectKey[®]-enabled devices. Xerox[®] Mobile Print is an add-on software product that allows users to print to Xerox[®] print devices.

Make It Yours

Time-saving apps and a personalized user experience. Be prepared to interact with VersaLink[®] printers and multifunction printers in a whole new way. Create customized workflows with easy-to-use apps and configure your interface to keep the functions you use most front and center.

APPS

VersaLink multifunction printers come preloaded with mobile-like apps that simplify common tasks and allow for easy customization. Download additional apps based on your business needs, or engage our partners to build new business-specific apps to reduce complicated workflows to singletouch simplicity.

- Xerox® ConnectKey® Apps and Xerox App Gallery. With the touch of a button, you can go to our Xerox App Gallery and download these lightweight, serverless apps to your VersaLink printer or multifunction printer to increase user productivity and shorten everyday tasks. ConnectKey Apps empower you to easily customize your workflow with apps such as @PrintByXerox, Xerox® Easy Translator Service and Xerox® Healthcare MFP¹.
- Xerox® App Studio. Customize your workflow even further by having your partner or reseller use the Xerox® App Studio tool to build new ConnectKey Apps for your business. Scan and send documents to multiple locations at the same time, or create information apps that communicate business-critical information, such as promotions, business updates, marketing campaigns and more—right at the user interface. The possibilities are limitless.
- Native apps. VersaLink multifunction printers have ready-to-use embedded apps preloaded on the device that allow you to easily scan your documents and send them to DropBox[™], Google Drive[™] or Microsoft[®] OneDrive[®] without tedious setup.

- Xerox Extensible Interface Platform®. Our VersaLink printers and multifunction printers come equipped with an open platform that is customizable to fit your work environment and needs. This key unlocks your ability to simplify everyday tasks that make the MFP easier to use and allows the MFP to run third-party solutions that enable an even more tailored workflow.
- Xerox® Easy Translator Service. This service allows customers to scan a document and receive a translated print of the document or email notification. Users can also send a digital image from a mobile device or a PC that is forwarded for translation. This is offered for both iOS and Android[™] devices. For more information, visit https://xeroxtranslates.com.

PERSONALIZATION


Configure your VersaLink printers and multifunction printers to make the user experience personal by machine, fleet, workgroup or individual.

• Familiar app-style user interface. Our VersaLink printers and multifunction printers feature a user interface that behaves much like the mobile devices we're all accustomed to using. To simplify the user interface even further, a highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and center.

- Customized UI Support. Customize and simplify each user's experience by moving and hiding icons based on user logins and creating presets for common workflows. Users can access the functions they use most with just one touch.
- Unified Address Book. The unified address book lets you seamlessly import your existing contacts and roll them out to multiple VersaLink multifunction printers.
- Intelligent Search. This feature allows users to type in the first few letters of a contact's name and then the VersaLink device will suggest contacts which meet similar search criteria.
- Jobs service. Easily manage jobs and view their status from the Xerox® Embedded Web Server, print driver or device front panel. Our clear graphical interfaces provide for easy, intuitive interaction with the printer or multifunction printer.
- Application defaults. Adjust settings for specific applications, such as always printing Microsoft[®] PowerPoint[®] files 2-up and in black-and-white.
- Maintain control. With User Permissions, you can restrict access to print features by user, group, time of day and application. To limit color printing, you simply select a rule that makes all Microsoft® Outlook® emails automatically print in black-and-white and in duplex mode.
- Feature Access Control. This feature allows administrators to control costs by limiting features to certain users and makes it easier for those users to see only the services they use.

¹ Xerox[®] Healthcare MFP is available in the U.S. only.

Introducing Xerox[®] VersaLink[®] Printers and Multifunction Printers



Specifications, Configuration Summaries and Options

XEROX® VERSALINK® B400 PRINTER AND B405 MULTIFUNCTION PRINTER

DEVICE SPECIFICATIONS	VersaLink B400N	VersaLink B400DN		VersaLink B405DN
peed	Up to 47 ppm letter/Up to 45 p	pm A4		
Duty Cycle ¹	Up to 110,000 pages/month ¹			
rocessor/Memory	1.05 GHz Dual Core/2 GB			
onnectivity		High-speed USB 3.0, Wi-Fi 802.11n and W	Fi Direct with optional	Wi-Fi Kit (concurrent wired and wireless connections
ontroller Features	Unified Address Book (B405), C	Configuration Cloning, Scan Preview (B405 ccessed from the user interface and print d	, Xerox Extensible Inter iver)	face Platform®, Xerox App Gallery, Xerox® Standard
Paper Handling Paper Input Standard	NA			Reversing Automatic Document Feeder (RADF): 60 sheets; Custom sizes: 5.5 x 5.5 in. (140 x 140 mm) to 8.5 x 14 in. (216 x 356 mm)
	Bypace Tray: Up to 150 shoots	; Custom sizes: 3 x 5 in. to 8.5 x 14 in./76 x	127 mm to 216 v 356 m	
		om sizes: 5.8 x 8.3 in. to 8.5 x 14 in./148 x 2		
ntional				
ptional		sheets each; Custom sizes: 5.8 x 8.3 in. to	5.5 X 14 III./ 146 X Z IU III	IIII LO 2 10 X 550 IIIIII
otal Capacity (std./max.)	700 sheets/2,350 sheets			
aper Output	250 sheets	Characterit		
utomatic Two-sided Output	N/A	Standard		
rint and Copy esolution	Print: Up to 1200 x 1200 dpi (e	enhanced)		Print: Up to 1200 x 1200 dpi (enhanced) Copy: Up to 600 x 600 dpi
irst-page-out Time 1s fast as)	Print: As fast as 8 seconds			Print: As fast as 8 seconds Copy: As fast as 6 seconds
age Description Languages		PEG/HP-GL/Adobe [®] PostScript [®] 3™		
NTUITIVE USER EX	PERIENCE			
ustomize and Personalize	Walkup customization, Persona Gallery and Xerox® App Studio	alize Home Screen by User, Multiple Home	Screens with Simple ID,	Customize by Site, Function or Workflow with Xerox App
int Drivers	Job Identification, Bi-direction	al Status, Job Monitoring, Xerox® Global Pr	nt Driver® and Mobile E	xpress Driver®
erox [®] Embedded Web Server	PC or mobile—Status Informat	tion, Responsive Design, Settings, Device N	anagement, Cloning	
eview	NA			Preview of Scan/Fax with Zoom, Rotate, Add Pa
int Features	Print from USB, Secure Print, Sc Driver Settings, Bi-directional R	ample Set, Personal Print, Saved Job, Xerox leal-time Status, Scaling, Job Monitoring, A	Earth Smart Driver Set pplication Defaults, Two	ttings, Job Identification, Booklet Creation, Store and Rec o-sided Printing (as default), Skip Blank Pages, Draft Mod
can and Fax	NA			Scan to USB/Email/Network (FTP/SMB), Scan Fil Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenier Features: Scan to Home, Searchable PDF, Single, Multi-Page PDF/XPS/TIFF/Password Protected P Fax Features: Walk-up Fax includes LAN Fax, Dir Fax, Fax Forward to Email), Unified Address Boo Optical Character Recognition (OCR)
OBILE AND CLOUD	READY			
lobile Printing	Apple [®] AirPrint ^{®4} , Google Cloue	d Print™ Ready, Xerox® Print Service and M	opria® Print Service Plug	j-ins for Android™
lobility Options	@PrintByXerox ² , Xerox [®] Mobile Visit www.xerox.com/officer	Print and Mobile Print Cloud ³ , Connect vic obileapps for available apps.	NFC/Wi-Fi Direct Printi	ng³, Xerox [®] Mobile Link App (B405)³.
loud Connectors ³		ve™, Microsoft® OneDrive®, Dropbox™, Mic	osoft Office 365 [®] , Box [®]	, Xerox® DocuShare® and more
ENCHMARK SECURI	ТҮ	·		
etwork Security		. Network Authentication, SNMPv3, SSL/TI	S. Security Certificates.	Automatic Self-Sianed Certificate
evice Access		ess and internal firewall, Port/IP/Domain F		ess Controls, User Permissions, Smart Card Enabled
ata Protection	Setup/Security Wizards, Job Le	vel Encryption via HTTPS/IPPS submission (ISO 15408) (undergoing evaluation)	Encrypted hard disk (Al	ES 256-bit, FIPS 140-2),
ocument Security), Secure Scan (B405), Secure Email (B405)	Password Protected PC	DF (B405)
NABLES NEXT GENE				
int Management		Mobility Suite ³ , Configuration Cloning, Xe	ox® Standard Accountir	ng Equitrac ³ Y Soft ³ and more
anaging Print	-	[®] Support Assistance, Auto Meter Read, Me		
ustainability		't Printing, Print User ID on margins	anagear mile services to	
ATEWAY TO NEW P		er mang, i me oser ib offinargins		
oud Services		, Xerox® Healthcare MFP (B405 – U.S. only	³ many additional conv	ices available
erox App Gallery	Many apps and cloud services		-	on of Xerox® apps available for adding functions to the
	Printer/MFP. ted in any one month. Not expecte ole.com for AirPrint Certification list		onal download from Xero	x App Gallery to the Printer— www.xerox.com/xeroxappgaller
Certifications	ations, go to	Options 550-sheet Feeder (B400)	497K13620	¹ Average standard pages. Declared Yield in accordance with IEC 19752. Yield will vary based on image, area coverage an

Certifications		Options		Average standard pages. Declared field in accordance with 150/
To view the latest list of certifications, go to		550-sheet Feeder (B400)	497K13620	IEC 19752. Yield will vary based on image, area coverage and
www.xerox.com/OfficeCertifications		550-sheet Feeder (B405)	497K13630	print mode.
Supplies Standard Capacity Toner Cartridge: 5,900 pages ¹ High Capacity Toner Cartridge: 13,900 pages ¹ Extra High Capacity Toner Cartridge: 24,600 pages ¹	106R03580 106R03582 106R03584	Productivity Kit with 16 GB Solid State Drive Stand Wireless Network Adapter (Wi-Fi Kit) External Card Reader/RFID Kit (B400) Internal Card Reader/RFID Kit (B405)	097S04913 497K13660 497K16750 497K18380 497K18120	² Approximate pages. Declared yield based on an average job size of 3 A4-/letter-size pages. Yield will vary depending on job run length and media size and orientation.Configurations vary by geography.
Drum Cartridge: 65,000 pages ²	101R00554			

For more detailed specifications, go to www.xerox.com/VersalinkB400Specs or www.xerox.com/VersalinkB405Specs.

XEROX® VERSALINK® C400 COLOR PRINTER AND C405 COLOR MULTIFUNCTION PRINTER

DEVICE SPECIFICATIONS	VersaLink C400/N	VersaLink C400/DN	VersaLink C405/N	VersaLink C405/DN
Speed	Up to 36 ppm color and black-an	d-white (Letter)/35 ppm color and bla	ck-and-white (A4)	
Duty Cycle ¹	Up to 80,000 pages/month ¹			
Processor/Memory	1.05 GHz Dual-Core/2 GB			
Connectivity	Ethernet 10/100/1000 Base-T, Hi supported), NFC Tap-to-Pair	gh-speed USB 3.0, Wi-Fi 802.11n and	Wi-Fi Direct with optional Wi-Fi Kit (co	oncurrent wired and wireless connections
Controller Features		nfiguration Cloning, Scan Preview (C40 ssed from the user interface and print		1 [®] , Xerox App Gallery, Xerox [®] Standard
Paper Handling Paper Input Standard	NA		Single-pass Duplex Automo Custom Sizes: 5.5 x 5.5 in. to	atic Document Feeder (DADF): 50 sheets: 8.5 x 14 in./140 x 140 mm to 216 x 356 mm
	Bypass Tray: 150 sheets; Custom	n sizes: 3 x 5 in. to 8.5 x 14 in./76 x 12	7 mm to 216 x 356 mm	
	Tray 1: 550 sheets; Custom sizes:	5.8 x 8.3 in. to 8.5 x 14 in./148 x 210	mm to 216 x 356 mm	
Optional	Tray 2: 550 sheets; Custom sizes:	5.8 x 8.3 in. to 8.5 x 14 in./148 x 210	mm to 216 x 356 mm	
Paper Output	250 sheets			
Automatic Two-sided Printing	N/A	Standard	N/A	Standard
Print and Copy Resolution	Print: Up to 600 x 600 x 8 dpi		Print: Up to 600 x 600 x 8 dp	bi; Copy: Up to 600 x 600 dpi
First-print-out Time	As fast as 13 seconds color/12 se	conds black-and-white		
First-copy-out Time	As fast as 11 seconds color/8 seco	onds black-and-white		
Page Description Languages	PCL [®] 5e/PCL 6/PDF/XPS/TIFF/JPE	G/HP-GL/Adobe [®] PostScript [®] 3™		
INTUITIVE USER EX	PERIENCE			
Customize and Personalize	Walkup customization, Personaliz Gallery and Xerox® App Studio	e Home Screen by User, Multiple Hor	ne Screens with Simple ID, Customize b	by Site, Function or Workflow with Xerox App
Print Drivers	Job Identification, Bi-directional	Status, Job Monitoring, Xerox® Global	Print Driver [®] and Mobile Express Drive	۳®
Xerox [®] Embedded Web Server		n, Responsive Design, Settings, Devic	•	
Preview	NA		Preview of Scan/Fax with Zoc	om, Rotate, Add Page
Print Features				dentification, Booklet Creation, Store and Recall ing (as default), Skip Blank Pages, Draft Mode
Scan and Fax	NA		JPEG, TIFF; Convenience Fea Multi-Page PDF/XPS/TIFF/Pa	(FTP/SMB), Scan File Formats: PDF, PDF/A, XPS, tures: Scan to Home, Searchable PDF, Single/ ssword Protected PDF, Fax Features: Walk-up Fc Fax Forward to Email), Unified Address Book, n (OCR)
MOBILE AND CLOUD	READY			
Mobile Printing	Apple [®] AirPrint ^{®4} , Google Cloud F	Print™ Ready, Xerox® Print Service and	Mopria® Print Service Plug-ins for Andr	roid™
Mobility Options	@PrintByXerox ² , Xerox [®] Mobile Pr Visit www.xerox.com/officemo	int and Mobile Print Cloud ³ , Connect bileapps for available apps.	via NFC/Wi-Fi Direct Printing ³ , Xerox [®] N	Mobile Link App (C405) ³ .
Cloud Connectors ³	Print from/Scan to ⁵ Google Drive ³	M, Microsoft® OneDrive®, Dropbox™, N	licrosoft Office 365 [®] , Box [®] , Xerox [®] Doc	cuShare® and more
BENCHMARK SECURI	ТҮ	· · · · · · · · · · · · · · · · · · ·		
Network Security	IPsec, HTTPS, encrypted email. N	etwork Authentication, SNMPv3, SSL	/TLS, Security Certificates, Automatic S	Self-Signed Certificate
Device Access	Firmware Verification, User acces PIV/.NET), Xerox® Integrated Car		n Filtering, Audit Log, Access Controls, I	User Permissions, Smart Card Enabled (CAC/
Data Protection	Setup/Security Wizards, Job Leve Criteria Certification (ISO 15408)		on, Encrypted hard disk (AES 256-bit, F	IPS 140-2) and image overwrite, Common
Document Security	Secure Print, Secure Fax (C405), S	ecure Scan (C405), Secure Email (C40)5), Password Protected PDF (C405)	
ENABLES NEXT GENE	RATION SERVICES			
Print Management	Xerox [®] Print Management and M	obility Suite ³ , Configuration Cloning,	Xerox [®] Standard Accounting, Equitrac ³	, Y Soft ³ and more
Managing Print		upport Assistance, Auto Meter Read,		
Sustainability	Cisco EnergyWise [®] , Earth Smart F		-	
GATEWAY TO NEW P				
Cloud Services	Xerox [®] Easy Translator (C405) ³ , X	erox® Healthcare MFP (C405 – U.S. or	nly)³, many additional services available	e
Xerox App Gallery				apps available for adding functions to the

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² Free optional download from Xerox App Gallery to the Printer—www.xerox.com/xeroxappgallery; ³ Purchased option; ⁴ Visit www.apple.com for AirPrint Certification list; ⁵ Scan to available for C405.

Certifications To view the latest list of certifications, go to www.xerox.com/OfficeCertifications		Standard Capacity Print Cartridges: Black: 2,500 pages std. pages¹ Cyan: 2,500 pages std. pages¹	106R03500 106R03502	Options 550-sheet Feeder Productivity Kit with 320 GB HDD	097S04400 097S04914
Supplies Extra High Capacity Print Cartridges:		Magenta: 2,500 pages std. pages ¹ Yellow: 2,500 pages std. pages ¹	106R03503 106R03501	Stand Wireless Network Adapter (Wi-Fi Kit)	497K13660 497K16750
Black: 10,500 pages std. pages ¹ Cyan: 8,000 pages std. pages ¹	106R03524 106R03526	Routine Maintenance Items: Imaging Unit (includes 4 imaging units):		External Card Reader/RFID Kit (C400) Internal Card Reader/RFID Kit (C405)	497K18380 497K18120
Magenta: 8,000 pages std. pages ¹ Yellow: 8,000 pages std. pages ¹	106R03527 106R03525	60,000 std. pages each ² Waste Cartridge: 30,000 std. pages ²	108R01121 108R01124	¹ Average standard pages. Declared Yield in acco IEC 19798. Yield will vary based on image, area mode.	
High Capacity Print Cartridges: Black: 5,000 pages std. pages ¹ Cyan: 4,800 pages std. pages ¹ Magenta: 4,800 pages std. pages ¹ Yellow: 4,800 pages std. pages ¹	106R03512 106R03514 106R03515 106R03513			² Approximate pages. Declared yield based on ar 3 A4-/letter-size pages. Yield will vary dependin- and media size and orientation.	

For more detailed specifications, go to www.xerox.com/VersalinkC400Specs or www.xerox.com/VersalinkC405Specs.

XEROX® VERSALINK® C500 COLOR PRINTER AND C505 COLOR MULTIFUNCTION PRINTER

DEVICE SPECIFICA	ATIONS	/ersaLink C500/N	VersaLink C500/DN	VersaLink C505/S	VersaLink C505/X
Speed	L	Jp to 45 ppm letter/Up to 43	ppm A4		
Duty Cycle ¹	L	Jp to 120,000 pages/month ¹			
Processor/Memory/Ha	rd Drive 1	.05 GHz/2 GB/optional 250 (GB HDD	1.05 GHz/4 GB/optional 250 (GB HDD 1.05 GHz/4 GB/standard 250 GB HDI
Connectivity		thernet 10/100/1000 Base-T upported), NFC Tap-to-Pair	, High-speed USB 3.0, Wi-Fi 802.11n and	Wi-Fi Direct with optional Wi-Fi Kit (cor	acurrent wired and wireless connections
Controller Features	L X	Inified Address Book (C505), erox® Standard Accounting,	Configuration Cloning, Scan Preview (C50 Online Support	05), Xerox Extensible Interface Platforn	[®] , Xerox App Gallery,
Paper Handling Paper Input S	Standard N	IA			tic Document Feeder (DADF): 100 sheets; x 14 in./140 x 203 mm to 216 x 356 mm
	B T	ypass Tray: Up to 150 sheet ray 1: Up to 550 sheets; Cus	ts; Custom sizes: 3 x 5 in. to 8.5 x 14 in./76 tom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 19	x 127 mm to 216 x 356 mm 0 mm to 216 x 356 mm	
			o to 550 sheets; Custom sizes: 3 x 7.5 in. to 2,000 sheets; 8.5 x 11 in. to 8.27 x 11.69		mm
Paper Output S	Standard 5	00 sheets		400 sheets	
Automatic Two-sided	Output N	I/A	Standard		
Copy and Print Re	esolution P	rint: Up to 1200 x 2400 dpi		Print: Up to 1200 x 2400 dpi;	Copy: Up to 600 x 400 dpi
First-page-out Time (as fast as)	Р	rint: As fast as 10 seconds co	olor/8.5 seconds black-and-white		lor/8.5 seconds black-and-white lor/5 seconds black-and-white
Page Description Lang	guages P	CL [®] 5e/PCL 6/PDF/XPS/TIFF/	/JPEG/HP-GL/Adobe [®] PostScript [®] 3™		
INTUITIVE USE	REXPERI	ENCE	· · · · · · · · · · · · · · · · · · ·		
Customize and Person		Valkup customization, Person Gallery and Xerox® App Studio		ne Screens with Simple ID, Customize b	y Site, Function or Workflow with Xerox App
Print Drivers	J	ob Identification, Bi-directior	nal Status, Job Monitoring, Xerox® Global	Print Driver® and Mobile Express Driver	0
Xerox® Embedded We	b Server P	C or mobile—Status Informa	ation, Responsive Design, Settings, Device	Management, Cloning	
Preview	Ν	IA		Preview of Scan/Fax with Zoo	m, Rotate, Add Page
Print Features	P	rint from USB, Secure Print, S Driver Settings, Bi-directional	ample Set, Personal Print, Saved Job, Xer Real-time Status, Scaling, Job Monitoring	ox® Earth Smart Driver Settings, Job Id , Application Defaults, Two-sided Print	entification, Booklet Creation, Store and Recall ng (as default), Skip Blank Pages, Draft Mode
Scan		IA		Optical Character Recognition Scan File Formats: PDF, PDF/A	n (OCR), Scan to USB/Email/Network (FTP/SMB) , XPS, JPEG, TIFF; Convenience Features: Scan t /Multi-Page PDF/XPS/TIFF/Password Protected
Fax	N	IA		Fax Features (C505/X only): V Forward to Email)	/alk-up Fax (includes LAN Fax, Direct Fax, Fax
MOBILE AND CL	OUD REA	DY			
Mobile Printing	A	pple® AirPrint®4, Google Clou	ud Print™ Ready, Xerox® Print Service and	Mopria® Print Service Plug-ins for Andr	pid™
Mobility Options			e Print and Mobile Print Cloud ³ , Connect mobileapps for available apps.	via NFC/Wi-Fi Direct Printing³, Xerox® №	1obile Link App (C505) ³ .
Cloud Connectors ³	Р	rint from/Scan to ^s Google Dr	ive™, Microsoft® OneDrive®, Dropbox™, N	icrosoft Office 365 [®] , Box [®] , Xerox [®] Doc	uShare® and more
BENCHMARK SE	CURITY				
Network Security	I	Psec, HTTPS, encrypted ema	il. Network Authentication, SNMPv3, SSL/	TLS, Security Certificates, Automatic S	elf-Signed Certificate
Device Access		irmware Verification, User ac CAC/PIV/.NET), Integrated C	cess and internal firewall, Port/IP/Domaii ard Reader Bay	n Filtering, Audit Log, Access Controls, U	Jser Permissions, Smart Card Enabled
Data Protection		etup/Security Wizards, Job Le Criteria Certification (ISO 154		on, Encrypted hard disk (AES 256-bit, F	IPS 140-2) and image overwrite, Common
Document Security	S	ecure Print, Secure Fax (C505	5/X), Secure Scan (C505), Secure Email (C	505), Password Protected PDF (C505)	
ENABLES NEXT	GENERAT	ION SERVICES			
Print Management	Х	erox® Print Management and	d Mobility Suite³, Configuration Cloning, 3	Kerox® Standard Accounting, Equitrac³,	Y Soft ³ and more
Managing Print	Х	erox® Device Manager, Xero>	x® Support Assistance, Auto Meter Read,	Managed Print Services tools	
Sustainability	C	isco EnergyWise®, Earth Smo	art Printing, Print User ID on margins		
GATEWAY TO NE	EW POSSI	BILITIES			
Cloud Services	Х	erox® Easy Translator (C505)	³ , Xerox [®] Healthcare MFP (C505 – U.S. or	ly)³, CapturePoint™ (C505)³, many add	itional services available
cloud Schrides					

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² Free optional download from Xerox App Gallery to the Printer—www.xerox.com/xeroxappgallery; ³ Purchased option; ⁴ Visit www.apple.com for AirPrint Certification list; ⁵ Scan to available for C505.

Certifications To view the latest list of certifications, go to www.xerox.com/OfficeCertifications Supplies Standard Capacity Toner Cartridges: Black: 5,000 pages ⁶ Cyan: 2,400 pages ⁶ Magenta: 2,400 pages ⁶ Yellow: 2,400 pages ⁶ High Capacity Toner Cartridges: Black: 12,100 pages ⁶ Cyan: 5,200 pages ⁶ Magenta: 5,200 pages ⁶	106R03862 106R03859 106R03860 106R03861 106R03869 106R03863 106R03864	Extra High Capacity Toner Cartridges: Cyan: 9,000 pages ⁶ Magenta: 9,000 pages ⁶ Yellow: 9,000 pages ⁶ Cyan Drum Cartridge: 40,000 pages ⁷ Magenta Drum Cartridge: 40,000 pages ⁷ Yellow Drum Cartridge: 40,000 pages ⁷ Black Drum Cartridge: 40,000 pages ⁷ Waste Cartridge: 30,000 pages ⁷ Options 550-sheet Feeder High Capacity Feeder Cabinet	106R03866 106R03867 106R03868 108R01481 108R01482 108R01483 108R01484 108R01416 097504949 097504948 097504955	Stand/Casters (included with High Capacity Feeder and Cabinet) Productivity Kit with 250 GB HDD Wireless Network Adapter (Wi-Fi Kit) External Card Reader / RFID Kit Internal Card Reader / RFID Kit ⁶ Average standard pages. Declared Yield in accordan IEC 19798. Yield will vary based on image, area cove print mode. ⁷ Approximate pages. Declared yield based on an o of 3 A4-/letter-size pages. Yield will vary dependin length and media size and orientation.	erage and average job size
	106R03864 106R03865	Cabinet	097S04955	Configurations vary by geography.	

For more detailed specifications, go to www.xerox.com/VersaLinkC500Specs or www.xerox.com/VersaLinkC505Specs.

XEROX® VERSALINK® B600 PRINTER AND B605 MULTIFUNCTION PRINTER

DEVICE SPECIFICATIONS	VersaLink B600 Printer DN, DT, DX, DXF, DXP	VersaLink B605 Multifunction Printer S, X, SF, SP, XF, XP, XTF, XTP
Speed	Up to 58 ppm letter/Up to 55 ppm A4	
Duty Cycle ¹	Up to 250,000 pages/month ¹	
Processor/Memory/Hard Drive	1.05 GHz ARM Dual Core/2 GB/Optional 250 GB HDD	1.05 GHz ARM Dual Core/2 GB/250 GB HDD
Connectivity	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi D supported), NFC Tap-to-Pair	Direct with optional Wi-Fi Kit (concurrent wired and wireless connections
Controller Features	Unified Address Book (B605), Configuration Cloning, Scan Preview (B605), Xer Accounting, Online Support (accessed from the user interface and print driver	
Paper Handling Paper Input Standard	NA	Single-Pass Duplex Automatic Document Feeder (DADF): 100 sheets; Custom sizes: 5.5 x 5.5 in. to 8.5 x 14 in./140 x 140 mm to 216 x 356 mm
	Bypass Tray: Up to 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in./76 x 127 Tray 1: Up to 550 sheets; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm	mm to 216 x 356 mm to 216 x 356 mm
Optional	Up to 4 Additional Trays (1 Additional Tray standard on B600/DT): Up to 55 to 216 x 356 mm	50 sheets each; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm
	High Capacity Feeder (Standard on DX, DXF and DXP): Up to 2,000 sheets; Standard sizes: 8.5 x 11 in./A4	High Capacity Feeder (Standard on XTF and XTP): Up to 2,000 sheets; Standard sizes: 8.5 x 11 in./A4
Paper Output Standard	500 sheets	400 sheets without finishing options; 500 sheets with finishing options
 Optional	Finisher (Standard on DXF, not available on DXP): 500-sheet tray, 50-sheet stapling Mailbox (Standard on DXP, not available on DXF): Four 100-sheet bins	Finisher (Standard on SF, XF, XTF; not available on S, X, SP, XP, XTP): 500-sheet tray, 50-sheet stapling Mailbox (Standard on SP, XP, XTP, not available on S, X, SF, XF, XTF): Four 100-sheet bins
Automatic Two-sided Output	Standard	
Copy and Print Resolution	Print: Up to 1200 x 1200 dpi	Print: Up to 1200 x 1200 dpi; Copy: Up to 600 x 600 dpi
First-page-out Time	Print: As fast as 6.3 seconds	Print: As fast as 7.5 seconds; Copy: As fast as 5.8 seconds from the Platen
Page Description Languages	PCL [®] 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe [®] PostScript [®] 3 [™]	
NTUITIVE USER EX		
Customize and Personalize	Walkup customization, Personalize Home Screen by User, Multiple Home Scree Gallery and Xerox® App Studio	ens with Simple ID, Customize by Site, Function or Workflow with Xerox App
Print Drivers	Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global Print D	
Kerox [®] Embedded Web Server	PC or mobile—Status Information, Responsive Design, Settings, Device Mana	igement, Cloning
Preview	NA	Preview of Scan/Fax with Zoom, Rotate, Add Page
Print Features	Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Appli	rth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recal cation Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Mode
Scan	NA	Optical Character Recognition (OCR), Scan to USB/Email/Network (FTP/ SMB), Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF
Fax ²	NA	Fax Features (B605/X, XF, XP, XTF only): Walk-up Fax (includes LAN Fax, Direct Fax, Fax Forward to Email)
MOBILE AND CLOUD	READY	
Mobile Printing	Apple [®] AirPrint ^{®5} , Google Cloud Print [™] Ready, Xerox [®] Print Service and Mopric	a [®] Print Service Plug-ins for Android™
Mobility Options	@PrintByXerox ³ , Xerox [®] Mobile Print and Mobile Print Cloud ⁴ , Connect via NFC Visit www.xerox.com/officemobileapps for available apps.	C/Wi-Fi Direct Printing⁴, Xerox® Mobile Link App (B605)³.
Cloud Connectors ³	Print from/Scan to ⁶ Google Drive [™] , Microsoft [®] OneDrive [®] , Dropbox [™] , Microsof	ft Office 365®, Box®, Xerox® DocuShare® and more
BENCHMARK SECURI	ТҮ	
Network Security	IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SSL/TLS, So	
Device Access	Firmware Verification, User access and internal firewall, Port/IP/Domain Filteri (CAC/PIV/.NET), Xerox [®] Integrated Card Reader Bay	ing, Audit Log, Access Controls, User Permissions, Smart Card Enabled
Data Protection	Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Enc Criteria Certification (ISO 15408) (undergoing evaluation)	rrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common
Document Security	Secure Print, Secure Fax (B605), Secure Scan (B605), Secure Email (B605), Pas	ssword Protected PDF (B605)
ENABLES NEXT GENI	ERATION SERVICES	
wint Management	Xerox [®] Print Management and Mobility Suite ⁴ , Configuration Cloning, Xerox [®]	Standard Accounting, Equitrac ⁴ , Y Soft ⁴ and more
rint Management	Xerox® Device Manager, Xerox® Support Assistance, Auto Meter Read, Manag	ged Print Services tools
-		
Managing Print	Cisco EnergyWise [®] , Earth Smart Printing, Print User ID on margins	
Managing Print Sustainability	OSSIBILITIES	
Print Management Managing Print Sustainability G ATEWAY TONEW P Cloud Services		any additional services available

Certifications To view the latest list of certifications, go to www.xerox.com/OfficeCertifications Supplies Standard Capacity Toner Cartridge: Black: 10,300 pages ⁷ High Capacity Toner Cartridge: Black: 25,900 pages ⁷	106R03940 106R03942	Options 550-sheet Feeder High Capacity Feeder (2,000 sheets) Stand/Cabinet Caster Base Finisher (500 sheets, 50-sheet stapler) 4-Bin Mailbox (100 sheets per bin) Wireless Network Adapter (Wi-Fi Kit)	097S04949 097S04948 097S04955 097S04954 097S04952 097S04952 097S04953 497K16750	⁷ Average standard pages. Declared Yield in accordance with ISO/IEC 19752. Yield will vary based on image, area coverage and print mode. ⁸ Approximate pages. Declared yield will vary depending on job run length and media size/orientation and machine speed. Configurations vary by geography.
Extra High Capacity Toner Cartridge: Black: 46,700 pages ⁷ Drum Cartridge: 60,000 pages ⁸	106R03942 106R03944 101R00582	Productivity Kit with 250 GB HDD RFID Card Reader Kit	497K18360 497K18380	

For more detailed specifications, go to www.xerox.com/VersaLinkB600Specs or www.xerox.com/VersaLinkB605Specs.

XEROX® VERSALINK® B610 PRINTER AND B615 MULTIFUNCTION PRINTER

DEVICE SPECIFICATI	ONS VersaLink B610 Printer DN, DT, DX, DXF, DXP	VersaLink B615 Multifunction Printer SF, SP, XF, XP, XTF, XTP
Speed	Up to 65 ppm letter/Up to 63 ppm A4	
Duty Cycle ¹	Up to 275,000 pages/month ¹	
Processor/Memory/Hard I Drive	Disk 1.05 GHz ARM Dual Core/2 GB/Optional 250 GB HDD	1.05 GHz ARM Dual Core/2 GB/250 GB HDD
Connectivity	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi- supported), NFC Tap-to-Pair	Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections
Controller Features	Unified Address Book (B615), Configuration Cloning, Scan Preview (B615), Accounting, Online Support (accessed from the user interface and print dr	Xerox Extensible Interface Platform®, Xerox® App Gallery, Xerox® Standard iver)
Paper Handling Paper Input Stan	dard NA	Single-Pass Duplex Automatic Document Feeder (DADF): 100 sheets; Custom sizes: 5.5 x 5.5 in. to 8.5 x 14 in./140 x 140 mm to 216 x 356 mm
	Bypass Tray: Up to 150 sheets; Custom sizes: 3 x 8.5 in. to 8.5 x 14 in./76 x Tray 1: Up to 550 sheets; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 190 n	
Opt	ional Up to 4 Additional Trays (1 Additional Tray standard on B610/DT): Up to 5	550 sheets each; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm to 216 x 356 m
	High Capacity Feeder (Standard on DX, DXF and DXP): Up to 2,000 shee Standard sizes: 8.5 x 11 in./A4	ts; High Capacity Feeder (Standard on XTF, XTP): Up to 2,000 sheets; Standard sizes: 8.5 x 11 in./A4
Paper Output Stan	dard 500 sheets	400 sheets without finishing options; 500 sheets with finishing options
Opt	ional Finisher (Standard on DXF, not available on DXP): 500-sheet tray, 50-sheet stapling Mailbox (Standard on DXP, not available on DXF): Four 100-sheet bins	Finisher (Standard on SF, XF, XTF; not available on SP, XP, XTP): 500-sheet tray, 50-sheet stapling Mailbox (Standard on SP, XP, XTP; not available on SF, XF, XTF): Four 100-sheet bins
Automatic Two-sided Out	put Standard	
Copy and Print Resolution	Print: Up to 1200 x 1200 dpi	Print: Up to 1200 x 1200 dpi; Copy: Up to 600 x 600 dpi
irst-page-out Time	Print: As fast as 7.1 seconds	Print: As fast as 6.6 seconds; Copy: As fast as 5.4 seconds from the Platen
age Description Langua	ges PCL [®] 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe [®] PostScript [®] 3 [™]	
NTUITIVE USER	EXPERIENCE	
Customize and Personaliz	e Walkup customization, Personalize Home Screen by User, Multiple Home S Gallery and Xerox® App Studio	creens with Simple ID, Customize by Site, Function or Workflow with Xerox App
Print Drivers	Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global Prir	nt Driver® and Mobile Express Driver®
erox® Embedded Web S	erver PC or mobile—Status Information, Responsive Design, Settings, Device M	anagement, Cloning
Preview	NA	Preview of Scan/Fax with Zoom, Rotate, Add Page
Print Features		¹ Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recal oplication Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Mode
Scan	NA	Optical Character Recognition (OCR), Scan to USB/Email/Network (FTP/ SMB), Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF
Fax ²	NA	Fax Features (XF, XP, XTF, XTP only): Walk-up Fax (includes LAN Fax, Direct Fax, Fax Forward to Email)
MOBILE AND CL	DUD READY	
/lobile Printing	Apple [®] AirPrint ^{®5} , Google Cloud Print [™] Ready, Xerox [®] Print Service and Mo	pria® Print Service Plug-ins for Android™
Mobility Options	@PrintByXerox ³ , Xerox [®] Mobile Print and Mobile Print Cloud ⁴ , Connect via Visit www.xerox.com/officemobileapps for available apps.	NFC/Wi-Fi Direct Printing ⁴ , Xerox [®] Mobile Link App (B615) ³ .
Cloud Connectors ³	Print from/Scan to ⁶ Google Drive™, Microsoft® OneDrive®, Dropbox™, Micro	osoft Office 365®, Box®, Xerox® DocuShare® and more
BENCHMARK SEC	URITY	
Network Security	IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SSL/TL	S, Security Certificates, Automatic Self-Signed Certificate
Device Access	Firmware Verification, User access and internal firewall, Port/IP/Domain Fil (CAC/PIV/.NET), Xerox [®] Integrated Card Reader Bay	ltering, Audit Log, Access Controls, User Permissions, Smart Card Enabled
Data Protection	Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Criteria Certification (ISO 15408) (undergoing evaluation)	Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common
Document Security	Secure Print, Secure Fax (B615), Secure Scan (B615), Secure Email (B615), P	Password Protected PDF (B615)
NABLES NEXT (ENERATION SERVICES	
Print Management	Xerox [®] Print Management and Mobility Suite ⁴ , Configuration Cloning, Xero	ox® Standard Accounting, Equitrac ⁴ , Y Soft ⁴ and more
	Xerox® Device Manager, Xerox® Support Assistance, Auto Meter Read, Ma	naged Print Services tools
Managing Print		
	Cisco EnergyWise [®] , Earth Smart Printing, Print User ID on margins	
Sustainability	Cisco EnergyWise [®] , Earth Smart Printing, Print User ID on margins W POSSIBILITIES	
Managing Print Sustainability GATEWAY TO NE Cloud Services		, many additional services available

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² Requires analog phone line; ² Free optional download; ⁵ Virit **www.apple.com** for AirPrint Certification list; ⁶ Scan to available for B615.

Certifications To view the latest list of certifications, go to www.xerox.com/OfficeCertifications.		Options 550-sheet Feeder High Capacity Feeder (2,000 sheets)	097S04949 097S04948	⁷ Average standard pages. Declared Yield in accordance with ISO/IEC 19752. Yield will vary based on image, area coverage and print mode.
Supplies Standard Capacity Toner Cartridge: Black: 10,300 pages ⁷	106R03940	Stand/Cabinet Caster Base Finisher (500 sheets, 50-sheet stapler)	097S04955 097S04955 097S04954 097S04952	⁸ Approximate pages. Declared yield will vary depending on job run length and media size/orientation and machine speed. Configurations way by account by
High Capacity Toner Cartridge: Black: 25,900 pages ⁷	106R03942	4-Bin Mailbox (100 sheets per bin) Wireless Network Adapter (Wi-Fi Kit)	097S04953 497K16750	Configurations vary by geography.
Extra High Capacity Toner Cartridge: Black: 46,700 pages ⁷ Drum Cartridge: 60,000 pages ⁸	106R03944 101R00582	Productivity Kit with 250 GB HDD RFID Card Reader Kit	497K18360 497K18380	

For more detailed specifications, go to www.xerox.com/VersaLinkB610Specs or www.xerox.com/VersaLinkB615Specs.

DEVICE SPECIFICATIONS	VersaLink C600 Color Printer N, DN, DT, DX, DXF, DXP	VersaLink C605 Color Multifunction Printer X, XP, XF, XTF, XTP
Speed	Up to 55 ppm letter/Up to 53 ppm A4	
Duty Cycle ¹	Up to 120,000 pages/month ¹	
Processor/Memory/Hard Drive	1.05 GHz/2 GB/optional 250 GB HDD	1.05 GHz/4 GB/standard 250 GB HDD
Connectivity	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and W supported), NFC Tap-to-Pair	Vi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections
Controller Features	Unified Address Book (C605), Configuration Cloning, Scan Preview (C609 Accounting, Online Support	5), Xerox Extensible Interface Platform®, Xerox App Gallery, Xerox® Standard
Paper Handling Paper Input Standard	NA	Single-Pass Duplex Automatic Document Feeder (DADF): 100 sheets; Custom sizes: 5.5 x 8 in. to 8.5 x 14 in./140 x 203 mm to 216 x 356 mm
	Bypass Tray: Up to 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in./76 x Tray 1: Up to 550 sheets; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 190	
Optional	Up to 4 Additional Trays (1 Additional Tray standard on C600/DT): Up	to 550 sheets; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm to 216 x 356 mm
	High Capacity Feeder (Standard on DX, DXF, DXP): Up to 2,000 sheets; 8.5 x 11 in. to 8.27 x 11.69 in./216 x 356 mm to 210 x 297 mm	High Capacity Feeder (Standard on XTF and XTP): Up to 2,000 sheets; 8.5 x 11 in. to 8.27 x 11.69 in./216 x 356 mm to 210 x 297 mm
Paper Output Standard	500 sheets	C605X: 400 sheets; C605XP/XF/XTF/XTP: 500 sheets
Optional (Choose One)	Finisher (Standard on DXF, not available on DXP): 500-sheet tray, 50-sheet stapling Mailbox (Standard on DXP, not available on DXF): Four 100-sheet bins	Finisher (Standard on XF and XTF, not available on X, XP, XTP): 500-sheet tray, 50-sheet stapling) Mailbox (Standard on XP and XTP, not available on X, XF, XTF): Four 100-sheet bin
Automatic Two-sided Output	Standard (not available on N configuration)	
Copy and Print Resolution	Print: Up to 1200 x 2400 dpi	Print: Up to 1200 x 2400 dpi; Copy: Up to 600 x 400 dpi
First-page-out Time (as fast as)	Print: As fast as 8 seconds color and black-and-white	Print: As fast as 10 seconds color and black-and-white Copy: As fast as 7 seconds color/5 seconds black-and-white
Page Description Languages	PCL [®] 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe [®] PostScript [®] 3 [™]	
INTUITIVE USER EXPER		
Customize and Personalize	Walkup customization, Personalize Home Screen by User, Multiple Home Gallery and Xerox $^{\otimes}$ App Studio	e Screens with Simple ID, Customize by Site, Function or Workflow with Xerox App
Print Drivers	Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global P	rint Driver® and Mobile Express Driver®
Xerox [®] Embedded Web Server	PC or mobile—Status Information, Responsive Design, Settings, Device	Management, Cloning
Preview	NA	Preview of Scan/Fax with Zoom, Rotate, Add Page
Print Features	Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xero Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring,	x® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recall Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Mode
Scan	NA	Optical Character Recognition (OCR), Scan to USB/Email/Network (FTP/SMB), File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF
Fax	NA	Walk-up Fax (includes LAN Fax, Direct Fax, Fax Forward to Email)
MOBILE AND CLOUD RE		
Mobile Printing	Apple [®] AirPrint ^{®4} , Google Cloud Print [™] Ready, Xerox [®] Print Service and N	Λopria® Print Service Plug-ins for Android™
Mobility Options	@PrintByXerox ² , Xerox [®] Mobile Print and Mobile Print Cloud ³ , Connect vi Visit www.xerox.com/officemobileapps for available apps.	a NFC/Wi-Fi Direct Printing ³ , Xerox [®] Mobile Link App (C605) ³ .
	Print from/Scan to ^s Google Drive [™] , Microsoft [®] OneDrive [®] , Dropbox [™] , Mic	crosoft Office 365 [®] , Box [®] , Xerox [®] DocuShare [®] and more
BENCHMARK SECURITY	IDeas HITDS appropriated appail Natural Automation SNMD 2, SSU 7	I S Socurity Cortificator Automatic Solf Size
Network Security Device Access		LS, Security Certificates, Automatic Self-Signed Certificate Filtering, Audit Log, Access Controls, User Permissions, Smart Card Enabled
Data Protection	(CAC/PIV/.NET), Integrated Card Reader Bay Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission Criteria Certification (ISO 15408) (undergoing evaluation)	n, Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common
Document Security	Secure Print, Secure Fax (C605), Secure Scan (C605), Secure Email (C605	() Password Protected PDF (C605)
ENABLES NEXT GENERA		
	Xerox® Print Management and Mobility Suite ³ , Configuration Cloning, Xe	erox® Standard Accounting Equitrac ³ Y Soft ³ and more
	Xerox® Device Manager, Xerox® Support Assistance, Auto Meter Read, N	
Sustainability	Cisco EnergyWise [®] , Earth Smart Printing, Print User ID on margins	
GATEWAY TO NEW POSS		
· · · · · · · · · · · · · · · · · · ·	Xerox® Easy Translator (C605) ³ , Xerox® Healthcare MFP (C605 – U.S. onl	v) ³ . CapturePoint™ (C605) ³ . many additional services available
Cloud Services		

Certifications		Extra High Capacity Toner Cartridges:		550-sheet Feeder	097S04949
To view the latest list of certifications, go to		C600: Black: 16,900 pages ⁶	106R03919	High Capacity Feeder	097S04948
www.xerox.com/OfficeCertifications		C600: Cyan: 16,800 pages ⁶	106R03916	Cabinet	097S04955
Supplies and Options		C600: Magenta: 16,800 pages ⁶	106R03917	Stand/Casters (included with High Capacity	
		C600: Yellow: 16,800 pages ⁶	106R03918	Feeder and Cabinet)	097S04954
Standard Capacity Toner Cartridges:	10000000	C605: Black: 16,900 pages ⁶	106R03931	Productivity Kit with 250 GB HDD	497K18360
Black: 6,000 pages ⁶	106R03899	C605: Cyan: 16,800 pages ⁶	106R03928	Wireless Network Adapter (Wi-Fi Kit)	497K16750
Cyan: 6,000 pages ⁶	106R03896	C605: Magenta: 16,800 pages ⁶	106R03929	External Card Reader / RFID Kit (C600)	497K18380
Magenta: 6,000 pages ⁶ Yellow: 6,000 pages ⁶	106R03897 106R03898	C605: Yellow: 16,800 pages ⁶	106R03930	Internal Card Reader / RFID Kit (C605)	497K18120
High Capacity Toner Cartridges: Black: 12,200 pages ⁶ Cyan: 10,100 pages ⁶ Magenta: 10,100 pages ⁶ Yellow: 10,100 pages ⁶	106R03903 106R03900 106R03901 106R03902	Cyan Drum Cartridge: 40,000 pages ⁷ Magenta Drum Cartridge: 40,000 pages ⁷ Yellow Drum Cartridge: 40,000 pages ⁷ Black Drum Cartridge: 40,000 pages ⁷ Waste Cartridge: 30,000 pages ⁷	108R01485 108R01486 108R01487 108R01488 108R01488 108R01416	⁶ Average standard pages. Declared Yield in accordan 19798. Yield will vary based on image, area coverage ⁷ Approximate pages. Declared yield based on an a of 3 A4-/letter-size pages. Yield will vary dependir length and media size and orientation. Configurations vary by geography.	and print mode. Iverage job size

For more detailed specifications, go to www.xerox.com/VersaLinkC600Specs or www.xerox.com/VersaLinkC605Specs.

XEROX® VERSALINK® B7025/B7030/B7035 MULTIFUNCTION PRINTER

DEVICE SPECIFICATIONS	VersaLink B7025	VersaLink B7030	VersaLink B7035			
Speed	Up to 25 ppm	Up to 30 ppm	Up to 35 ppm			
Monthly Duty Cycle ¹	Up to 107,000 pages	Up to 129,000 pages	Up to 153,000 pages			
Hard Drive/Processor/Memory	320 GB HDD ² /1.05 GHz Dual-core/2 GB memory					
Connectivity	Ethernet 10/100/1000 Base-T, High-s	peed USB 3.0, Wi-Fi® and Wi-Fi Direct® with option	al Wi-Fi Kit			
Controller Features		Cloning, Scan Preview, Xerox Extensible Interface Pla Authentication Enabled, Online Support	atform®, Xerox App Gallery, Xerox® Standard Accounting,			
Copy and Print Resolution	Copy: Up to 600 x 600 dpi; Print: Up	to 1200 x 1200 dpi				
First-copy-out Time (as fast as)	As fast as 6.8 seconds	As fast as 5.4 seconds	As fast as 5.4 seconds			
irst-print-out Time	As fast as 10.4 seconds	As fast as 9.1 seconds	As fast as 9.1 seconds			
age Description Languages	PCL [®] 5e/PCL 6/PDF/XPS/TIFF/JPEG/H	PCL [®] 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/optional Adobe [®] PostScript [®] 3™				
Paper Input Standard	Duplex Automatic Document Feeder (DADF): 110 sheets: Standard sizes: 5.5 x 8.5 in. to 11 x 17 in./A5 to A3; Custom sizes (duplex): 4.92 x 4.33 in. to 11.69 x 17 in./125 x 10 mm to 297 x 431.8 mm; Custom sizes (simplex): 4.92 x 3.35 in. to 11.69 x 17 in./125 x 85 mm to 297 x 431.8 mm					
	Bypass Tray: 100 sheets; Custom sizes: 3.5 x 3.87 in. to 11.69 x 17 in./88.9 x 98.4 mm to 297 x 431.8 mm					
	Tray 1: 520 sheets; Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm					
Choose One	Single Tray with Stand: 520 sheets; Three Tray Module (1,560 sheets): 5 High-Capacity Tandem Tray (2,520		182 mm to 297 x 431.8 mm			
Optional		\$10 commercial, Monarch, DL, C5; Custom sizes: 3.9 sheets; Standard sizes: 8.5 x 11 in. and 7.25 x 10.5 ii	x 5.8 in. to 6.4 x 9.5 in./98 x 148 mm to 162 x 241 mm n./A4 or B5			
Paper Output/ Standard	Dual Catch Tray ² : 250 sheets each;	Lower tray offsets				
inishing Optional	Office Finisher LX: 2,000-sheet stack	Integrated Office Finisher: 500-sheet stacker, 50 sheets stapled, single-position stapling Office Finisher LX: 2,000-sheet stacker, 50 sheets stapled, 3-position stapling, optional hole-punch, optional booklet maker (score, saddle stitch) Convenience Stapler with Work Surface: Staples 50 sheets				
NTUITIVE USER EXP	ERIENCE					
Customize and Personalize	Walkup customization, Personalize Home Screen by User, Multiple Home Screens with Simple ID, Customize by Site, Function or Workflow with Xerox App Gallery and Xerox® App Studio					
Print Drivers	Job Identification, Bi-directional Statu	is, Job Monitoring, Xerox $^{\circ}$ Global Print Driver $^{\circ}$ and N	Mobile Express Driver®			
Kerox [®] Embedded Web Server	PC or mobile—Status Information, Re	sponsive Design, Settings, Device Management, Cl	oning			
review	Preview of Scan/Fax with Zoom, Rota	te, Add Page				
Print Features	Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Rec Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Moc					
Scan	Optical Character Recognition (OCR), Scan to USB/Email/Network (FTP/SMB), Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: S to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF					
Ξαx	Optional Walk-up Fax (one-line or three	ee-line options available, includes LAN Fax, Direct Fo	ax, Fax Forward to Email), optional Fax Over IP			
OBILE AND CLOUD	READY					
Nobile Printing	Apple [®] AirPrint ^{®5} , Google Cloud Print [®]	$^{\!\!\!\!\!^{\mathrm{s}}}$ Ready, Xerox $^{\!\!\!\!^{\mathrm{s}}}$ Print Service and Mopria $^{\!\!\!^{\mathrm{s}}}$ Print Serv	rice Plug-ins for Android™			
Mobility Options	3	@PrintByXerox ³ , Xerox [®] Mobile Print and Mobile Print Cloud ⁴ , Connect via NFC/Wi-Fi Direct Printing ⁴ , Xerox [®] Mobile Link App ³ . Visit www.xerox.com/officemobileapps for available apps.				
Cloud Connectors ³	Print from/Scan to Google Drive™, Mic	rosoft® OneDrive®, Dropbox™, Microsoft Office 365	[®] , Box [®] , Xerox [®] DocuShare [®] and more			
SENCHMARK SECURI	Y					
Vetwork Security	IPsec, HTTPS, encrypted email. Netwo	ork Authentication, SNMPv3, SSL/TLS, Security Cert	ificates, Automatic Self-Signed Certificate			
Device Access	Firmware Verification, User access and internal firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Smart Card Enabled (CAC/PIV/.NET), Xerox® Integrated Card Reader Bay					
Data Protection	Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Comm Criteria Certification (ISO 15408) (undergoing evaluation)					
Ocument Security	Secure Print, Secure Fax, Secure Scan,	Secure Email, Password Protected PDF				
NABLES NEXT GENE	RATION SERVICES					
rint Management	Xerox [®] Print Management and Mobility Suite ⁴ , Configuration Cloning, Xerox [®] Standard Accounting, Equitrac ⁴ , Y Soft ⁴ and more					
lanaging Print	Xerox® Device Manager, Xerox® Support Assistance, Auto Meter Read, Managed Print Services tools					
Sustainability	Cisco EnergyWise®, Earth Smart Printi	ng, Print User ID on margins				
GATEWAY TO NEW PO	SSIBILITIES					
Cloud Services	Xerox® Easy Translator4, Xerox® Healt	ncare MFP (U.S. only) ⁴ , many additional services avo	ailable			

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² HDD and Dual Catch Tray are optional on Desktop model; ³ Free optional download from Xerox App Gallery to the Printer—www.xerox.com/xeroxappgallery; ⁴ Purchased option; ⁵ Visit www.apple.com for AirPrint Certification list.

For more detailed specifications, go to www.xerox.com/VersaLinkB7000Specs.

XEROX[®] VERSALINK[®] C7000 COLOR PRINTER

DEVICE SPECIFI	CATIONS	VersaLink C7000N VersaLink C7000DN				
Speed		Up to 35 ppm				
Monthly Duty Cycle ¹		Up to 153,000 pages				
Hard Drive/Processor/	Memory	320 GB HDD²/1.05 GHz Dual-core/2 GB memory				
Connectivity		Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi® and Wi-Fi Direct® with optional Wi-Fi Kit, NFC Tap-to-Pair				
Controller Features		Configuration Cloning, Xerox Extensible Interface Platform [®] , Xerox App Gallery, Xerox [®] Standard Accounting Tool, Role Based Permissions, Convenience Authentication Enabled, Online Support				
Print	Resolution	Up to 1200 x 2400 dpi				
First-print-out Time		As fast as 7.6 seconds color / 5.1 seconds black-and-white				
Page Description Lan	guages	PCL [®] 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe [®] PostScript [®] 3 [™]				
Paper Input Standard		Bypass Tray: 100 sheets; Custom sizes: 3.5 x 3.87 in. to 11.69 x 17 in./88.9 x 98.4 mm to 297 x 431.8 mm Tray 1: 520 sheets; Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm				
	Optional	Single Tray Module: 520 sheets; Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm Single Tray with Stand: 520 sheets; Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm Three Tray Module (1,560 sheets): 520 sheets each; Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm Envelope Tray: Up to 60 envelopes: #10 commercial, Monarch, DL, C5; Custom sizes: 3.9 x 5.8 in. to 6.4 x 9.5 in./98 x 148 mm to 162 x 241 mm				
Paper Output/ Finishing	Standard	Catch Tray: 500 sheets, offsets				
	Optional	Integrated Office Finisher: 500-sheet stacker, 50 sheets stapled, single-position stapling				
Automatic Two-sided	Printing	NA Standard				
INTUITIVE US	SER EXPE	ERIENCE				
Customize and Personalize		Walkup customization, Personalize Home Screen by User, Multiple Home Screens with Simple ID, Customize by Site, Function or Workflow with Xerox App Gallery and Xerox® App Studio				
Print Drivers		Job Identification, Bi-directional Status, Job Monitoring, Xerox [®] Global Print Driver [®] and Mobile Express Driver [®]				
Embedded Web Server		PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning				
Print Features		Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recall Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (DN configuration), Skip Blank Pages, Draft Mode				
MOBILE AND	CLOUD R					
Mobile Printing		Apple® AirPrint®5, Google Cloud Print™ Ready, Xerox® Print Service and Mopria® Print Service Plug-ins for Android™				
Mobility Options		@PrintByXerox ³ , Xerox [®] Mobile Print and Mobile Print Cloud ⁴ , Connect via NFC/Wi-Fi Direct Printing ⁴ Visit www.xerox.com/officemobileapps for available apps.				
Cloud Connectors ³		Print from Google Drive™, Microsoft® OneDrive®, Dropbox™, Microsoft Office 365®, Box®, Xerox® DocuShare® Platform and more				
BENCHMARK S	ECURIT	Y				
Network Security		IPsec, HTTPS, Network Authentication, SNMPv3, SSL/TLS, Security Certificates, Automatic Self-Signed Certificate				
Device Access		Firmware Verification, User access and internal firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Smart Card Enabled (CAC/PIV/.NET), Xerox® Integrated RFID Card Reader Bay				
Data Protection		Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite ²				
Document Security Se		Secure Print				
ENABLES NEX	TGENER	ATION SERVICES				
Print Management Xerox® Print Management and Mobilit		Xerox [®] Print Management and Mobility Suite/Service ⁴ , Configuration Cloning, Xerox [®] Standard Accounting, Equitrac ⁴ , Y Soft ⁴ and more				
Managing Print Xerox® Devic		[®] Device Manager, Xerox [®] Support Assistance, Auto Meter Read, Managed Print Services tools				
Sustainability		Cisco EnergyWise®, Earth Smart Printing, Print User ID on margins				
GATEWAY TO	NEW POS					
Xerox App Gallery		Many apps and cloud services available. Visit www.xerox.com/appgallery for a growing selection of Xerox® apps available for adding functions.				
	acity ovpostod	in any one month. Not expected to be sustained on a regular basis; ² HDD optional; ³ Free optional download from Xerox App Gallery to the Printer—www.xerox.com/				

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² HDD optional; ³ Free optional download from Xerox App Gallery to the Printer—www.xerox.com/ xeroxappgallery; ⁴ Purchased option; ⁵ Visit www.apple.com for AirPrint Certification list.

Certifications To view the latest list of certifications, go to www.xerox.com/OfficeCertifications Supplies Standard Capacity Toner Cartridges:		Magenta: 10,100 pages ⁶ Yellow: 10,100 pages ⁶ CMYK Drum Cartridge: 82,200 pages ⁷ Waste Toner Bottle: 21,200 pages ⁷ 120V Fuser	106R03759 106R03758 113R00782 115R00129 115R00137	⁶ Average standard pages. Declared Yield in accordance with ISO/ IEC 19798. Yield will vary based on image, area coverage and print mode. ⁷ Approximate pages. Declared yield will vary depending on job run length, media size/orientation and machine speed. For more information, visit
Black: 5,300 pages ⁶	106R03761	Options		http://www.office.xerox.com/latest/SUPGL-01.PDF
Cyan: 3,300 pages ⁶	106R03764	Single Tray Module	097S04910	
Magenta: 3,300 pages ⁶	106R03763	Single Tray with Stand Module	097S04907	Configurations vary by geography.
Yellow: 3,300 pages ⁶	106R03762	Three Tray Module	097504908	
High Capacity Toner Cartridges:		Envelope Tray (Replaces Tray 1)	497K17720	
Black: 10,700 pages ⁶	106R03757	HDD (320 GB Hard Drive)	497K17740	
Cyan: 10,100 pages ⁶	106R03760	Wireless Network Adapter (Wi-Fi Kit)	497K16750	
Cyan. 10,100 pages	1001(05700	Internal Card Reader / RFID Kit	497K18120	

For more detailed specifications, go to www.xerox.com/C7000PrinterSpecs.


XEROX® VERSALINK® C7020/C7025/C7030 COLOR MULTIFUNCTION PRINTER

DEVICE SPECIF	ICATIONS	VersaLink C7020	VersaLink C7025	VersaLink C7030			
Speed		Up to 20 ppm	Up to 25 ppm	Up to 30 ppm			
Monthly Duty Cycle ¹		Up to 87,000 pages Up to 107,000 pages Up to 129,000 pages					
Hard Drive/Processo	r/Memory	320 GB HDD²/1.05 GHz Dual-core/4 GB memory					
Connectivity		Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi [®] and Wi-Fi Direct [®] with optional Wi-Fi Kit, NFC Tap-to-Pair					
Controller Features			Cloning, Scan Preview, Xerox Extensible Interface Pl Authentication Enabled, Online Support	atform [®] , Xerox App Gallery, Xerox [®] Standard Accounting Tool,			
Copy and Print	Resolution	Copy: Up to 600 x 600 dpi; Print: Up	to 1200 x 2400 dpi				
First-copy-out Time ((as fast as)	As fast as 9.0 seconds color/6.9 seconds	nds black-and-white	As fast as 7.2 seconds color/ 5.8 seconds black-and-white			
First-print-out Time		As fast as 9.4 seconds color/7.2 secor black-and-white	nds As fast as 9.4 seconds color/ 7.1 seconds black-and-white	As fast as 7.3 seconds color/ 5.6 seconds black-and-white			
Page Description Lar	nguages	PCL [®] 5e/PCL 6/PDF/XPS/TIFF/JPEG/F	IP-GL/optional Adobe® PostScript® 3™				
Paper Input Standard		Duplex Automatic Document Feeder (DADF): 110 sheets: Speed: up to 55 ipm; Custom sizes (duplex): 4.92 x 4.33 in. to 11.69 x 17 in./125 x 110 mm to 297 x 431.8 mm; Custom sizes (simplex): 4.92 x 3.35 in. to 11.69 x 17 in./125 x 85 mm to 297 x 431.8 mm					
	Bypass Tray: 100 sheets; Custom sizes: 3.5 x 3.87 in. to 11.69 x 17 in./88.9 x 98.4 mm to 297 x 431.8 mm						
		Tray 1: 520 sheets; Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm					
	Choose One	Single Tray with Stand: 520 sheets; Three Tray Module (1,560 sheets): High-Capacity Tandem Tray (2,520		182 mm to 297 x 431.8 mm			
	Optional		#10 commercial, Monarch, DL, C5; Custom sizes: 3.9) sheets; Standard sizes: 8.5 x 11 in. and 7.25 x 10.5) x 5.8 in. to 6.4 x 9.5 in./98 x 148 mm to 162 x 241 mm in./A4 or B5			
Paper Output/	Standard	Dual Catch Tray ² : 250 sheets each; Lower tray offsets					
Finishing	Optional	Integrated Office Finisher: 500-sheet stacker, 50 sheets stapled, single-position stapling Office Finisher LX: 2,000-sheet stacker, 50 sheets stapled, 3-position stapling, optional hole-punch, optional booklet maker (score, saddle stitch) Convenience Stapler and Work Surface: Staples 50 sheets					
INTUITIVE U	SER EXPE	•					
Customize and Perso	onalize	Walkup customization, Personalize Home Screen by User, Multiple Home Screens with Simple ID, Customize by Site, Function or Workflow with Xerox App Gallery and Xerox® App Studio					
Print Drivers		Job Identification, Bi-directional Stat	us, Job Monitoring, Xerox® Global Print Driver® and	Mobile Express Driver®			
Embedded Web Serv	ver	PC or mobile—Status Information, R	esponsive Design, Settings, Device Management, C	loning			
Preview		Preview of Scan/Fax with Zoom, Rote	ite, Add Page				
Print Features		Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Rec Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Mod					
Scan		Optical Character Recognition (OCR), Scan to USB/Email/Network (FTP/SMB), Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Sc to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF					
Fax		Optional Walk-up Fax (one-line or thr	ee-line options available, includes LAN Fax, Direct F	ax, Fax Forward to Email), optional Fax Over IP			
MOBILE AND	CLOUD R	EADY					
Mobile Printing		Apple [®] AirPrint ^{®5} , Google Cloud Print	™ Ready, Xerox® Print Service and Mopria® Print Ser	vice Plug-ins for Android™			
Mobility Options		@PrintByXerox ³ , Xerox [®] Mobile Print and Mobile Print Cloud ⁴ , Connect via NFC/Wi-Fi Direct Printing ⁴ , Xerox [®] Mobile Link App ³ . Visit www.xerox.com/officemobileapps for available apps.					
Cloud Connectors ³		Print from/Scan to Google Drive™, Mi	crosoft® OneDrive®, Dropbox™, Microsoft Office 36	^{5®} , Box [®] , Xerox [®] DocuShare [®] Platform and more			
BENCHMARK	SECURIT	Y					
Network Security		IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SSL/TLS, Security Certificates, Automatic Self-Signed Certificate					
Device Access		Firmware Verification, User access and internal firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Smart Card Enabled (CAC/PIV/.NET), Integrated Card Reader Bay					
Data Protection		Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common Criteria Certification (ISO 15408) (undergoing evaluation)					
Document Security		Secure Print, Secure Fax, Secure Scan	, Secure Email, Password Protected PDF				
ENABLES NEX	(T GENER	ATION SERVICES					
Print Management		Xerox [®] Print Management and Mobi	ity Suite ⁴ , Configuration Cloning, Xerox $^{\otimes}$ Standard A	accounting Tool, Equitrac ⁴ , Y Soft ⁴ and more			
Managing Print		Xerox® Device Manager, Support Assistance, Auto Meter Read, Managed Print Services tools					
Sustainability		Cisco EnergyWise®, Earth Smart Print	ing, Print User ID on margins				
GATEWAY TO	NEW POS	SSIBILITIES					
		Yerov [®] Easy Translator ⁴ Yerov [®] Healt					
Cloud Services		Actox Easy Hallslator, Actox Treat	hcare MFP Solution (U.S. only) ⁴ , many additional se	rvices available			

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² HDD and Dual Catch Tray are optional on Desktop model; ³ Free optional download from Xerox App Gallery to the Printer—www.xerox.com/xeroxappgallery; ⁴ Purchased option; ⁵ Visit www.apple.com for AirPrint Certification list.

For more detailed specifications, go to www.xerox.com/VersaLinkC7000Specs.

Awards



2017 Article 2017 Certificate

Read more about our award winning solutions **<u>BLI Solutions Award Brochure</u>**

For more information visit us at www.connectkey.com.

©2017 Xerox Corporation. All rights reserved. Xerox®, Xerox and Design®, CentreWare®, ConnectKey®, DocuShare®, Global Print Driver®, MeterAssistant®, Mobile Express Driver®, SuppliesAssistant®, Xerox Extensible Interface Platform® and VersaLink® are trademarks of Xerox Corporation in the United States and/or other countries. The information in this brochure is subject to change without notice. Updated 11/17 BR21342 XOGEG-06UH

